

Key Features

- ❑ All-In-One POS with 15.6" TFT LCD widescreen display
- ❑ Processor Intel Celeron J6412 provide high performance
- ❑ Fanless design for silent operation
- ❑ Integrated 80mm printer, more space saving
- ❑ 15.6 inch or 10.1 inch second display optional for more scenarios



MODEL		HK528 J6412
Processor		Intel Celeron J6412, Gemini Lake, Quad core, 2.0 GHz up to 2.6 GHz
Operating System		Windows 10/Linux/Windows 11 in 2023
Memory		SO-DIMM DDR4 3200MHz 4GB, up to 16GB
Storage		M.2 SATA 128GB, up to 256GB
Display Panel		15.6 "LED widescreen /standard resolution: 1920 x 1080
Touch Screen		True flat capacitive touch screen
Power Supply		24V 90W
Speaker		1*3W Speaker
I/O Ports	USB	6*USB (4*USB 2.0 ;2* USB 3.0)
	Power-in	1* 24V Power-in
	Serial	1* RJ50 Serial port
		1* DB9 Serial port
	LAN	1* 100M/1000M Gigabit LAN
	Cash Drawer	1*24V RJ11 for Cash drawer
	Audio	1*3.5mm Audio
Video	null	
Optional Peripherals	Camera	Face ID payment camera
		Membership recognition camera, 800W
	Wi-Fi®	Dual-band Wi-Fi® 802.11a/b/g/n/ac 2.4GHz/5GHz
		BT 5.0
	2nd Display	10.1”second screen/ resolution:1280*800(Touch/non-Touch)
		15.6”second screen/ resolution:1920*1080(Touch/non-Touch)
	Card Reader	MSR only (3 tracks MSR)
		MSR+RFID (Supports MIFARE one and MIFARE CPU card)
Printer	Integrated 80mm Thermal printer	
Fingerprint reader	Fingerprint reader	
Dimensions (LxWxH)		380mm×250mm×375mm
Weight		5KG
Tilt Adjustment		10° - 50° (Vertical)
Operating Voltage		100V~240V
Environment	Operating	0°C - 40°C/35%-80% RH non-condensing
	Storage	-20°C - 55°C/20%-93% RH non-condensing
EMC and Safety		CE , FCC, RoHS Pending
Colour		Black\White



- ☐ Optional 15.6" second display
- ☐ Optional 10.1" second display



- ☐ Optional FaceID Camera
- ☐ Optional membership camera
- ☐ Optional 80mm Printer
- ☐ Optional MSR Reader
- ☐ Optional RFID Reader
- ☐ Optional Fingerprint Reader

- ☐ Optional No printer configuration



Disclaimer: All products specifications are subject to change without notice.